

January 14, 2019, Monday

✓ ✓ ✓

$4k + 7k^3 - 1$

Simplify each expression.

1)  $(2p^3 - 3p^2) + (p^3 + 4p^2) = 3p^3 + p^2$   
 ~~$2p^3 - 2p^3 = 0$~~   
 ~~$4p^2 - 3p^2 = p^2$~~

2)  $(2k + 3k^2) + (1 + 2k + 4k^2)$

Find each product.

3)  $7(3k + 4)$   
 $21k + 28$

4)  $(m + 5)(m - 1)$   
 $m^2 + 5m - 1m - 5$   
 $m^2 + 4m - 5$

Jan 10-10:34 AM

Quiz Review

1) A  
 2) B  
 3) D  
 4) C  
 5) A  
 6) C  
 7) B  
 8) C  
 9)  $5(n+20)$  10)  $\frac{n+6}{3}$

$5x + 2(x-1) = x + 10$   
 $5x + 2x - 2 = x + 10$   
 $7x - 2 = x + 10$   
 $-10 -10$   
 $7x - 12 = x$   
 $-7x -7x$   
 $-12 = -6x$   
 $-6 -6$   
 $2 = x$

Jan 14-9:28 AM

UIT Review

1. Convert: 43 miles to feet  
 $43 \text{ mi} \left( \frac{5280 \text{ ft}}{1 \text{ mi}} \right) = 227040 \text{ ft}$

2. Convert: 620 inches to cm  
 $620 \text{ in} \left( \frac{2.54 \text{ cm}}{1 \text{ in}} \right) = 1574.8 \text{ cm}$

3. Convert: 30 ft/sec to miles/hour  
 $30 \frac{\text{ft}}{\text{sec}} \left( \frac{1 \text{ mi}}{5280 \text{ ft}} \right) \left( \frac{60 \text{ sec}}{1 \text{ min}} \right) \left( \frac{60 \text{ min}}{1 \text{ hr}} \right) = 20.5 \frac{\text{mi}}{\text{hrs}}$

4. Convert: How many seconds are there in a week?  
 $60 \text{ sec} \left( \frac{60 \text{ min}}{1 \text{ hr}} \right) \left( \frac{24 \text{ hrs}}{1 \text{ day}} \right) \left( \frac{7 \text{ days}}{1 \text{ week}} \right) = 604800 \text{ sec}$

5. Write an algebraic expression: Quentin has  $x$  markers. Kellen, Garrett, and Ben then gave Quentin an additional  $y$  markers each. Write an expression to represent the number of markers Quentin has now.  
 $Q = x$   $B = y$   $x + y + y + y$   
 $K = y$   $G = y$   $x + 3y$

6. Write an algebraic expression: Three times the difference of the cube of  $x$  and the square of  $y$ .  
 $3(x^3 - y^2)$

7. Write an algebraic expression: Add 5 to the product of 8 and  $x$ , then divide by 2.  
 $\frac{8x + 5}{2}$

8. Identify the terms, coefficients, and constant  $36x^2 + 27x^3 - 18x - 9$   
 Terms:  $4$  Coefficients:  $36, 27, -18$  Constant:  $-9$

9. Suppose  $5(x - y) = 7x$ . When  $y = 2$ , what is the value of  $x$ ?  
 $5(x - 2) = 7x$   
 $5x - 10 = 7x$   
 $-35 = 2x$   
 $x = -17.5$

10. A rectangle has a length of 10 units and a width of 20 units. What is the perimeter of the rectangle?  
 $P = 2(l + w) = 2(10 + 20) = 2(30) = 60$   
 $P = 2(10) + 2(20) = 20 + 40 = 60$

11. Simplify the expression, then determine how many terms are in the simplified expression.  
 $6 + 2x + x - 4x^2 + 5$   
 $11 + 3x - 4x^2$   
 $3 \text{ terms}$

Jan 10-10:35 AM

12. Add the following polynomial.  
 $(5x^2 - 3x + 2) + (2x^2 + 7x - 9)$   
 $12x^2 - 17x - 9$

13. Subtract the following polynomial.  
 $(3x^2 - 2x - 1) - (5x^2 + 1)$   
 $-3x^2 + 2$

14. Multiply the following binomials:  
 $(x - 6)(x + 7)$   
 $x^2 + 7x - 6x - 42$   
 $x^2 + x - 42$

15. Multiply the following binomials:  
 $(x - 4)(x - 4)$   
 $x^2 - 4x - 4x + 16$   
 $x^2 - 8x + 16$

16. Classify the following polynomial by number of terms and by degree.  
 $4x^3 + 2x$   
 Name by terms: 3  
 Name by degree: 3 = cubic

17. Sophia has 8 books in her locker. All the books are either personal books or school books. She has three times as many school books as personal books. How many school books does Sophia have in her locker?  
 $S = 3P$   
 $S + P = 8$   
 $3P + P = 8$   
 $4P = 8$   
 $P = 2$   
 $S = 6$

18. Simplify  $\sqrt{112}$   
 $4\sqrt{7}$

19. Simplify  $\sqrt{175}$   
 $5\sqrt{7}$

20. Simplify  $-4\sqrt{3} + 3\sqrt{3}$   
 $-\sqrt{3}$

21. Simplify  $3\sqrt{6} + 2\sqrt{54}$   
 $9\sqrt{6}$

22. Simplify  $3\sqrt{2} - \sqrt{2}$   
 $2\sqrt{2}$

23. Simplify  $5\sqrt{10}(3 + \sqrt{5})$   
 $15\sqrt{10} + 25\sqrt{2}$

24. Label the following as rational or irrational:  
 $R = \frac{30}{6} = 5$   $I = \sqrt{2}$   $R = 3.14$

25. Which measurement is more precise?  
 $84 \text{ g}$  or  $2.2 \text{ kg}$   
 goes to the hundredths

January 16, 2019, Wednesday

12. Multiply the following binomials.  
 $(x - 1)(x - 3)$   
 $x^2 - 1x - 3x + 3$   
 $x^2 - 4x + 3$

13. Which of these is a rational number?  
 a)  $\sqrt{5}$   
 b)  $\sqrt{2}$   
 c)  $-1$   
 d) None of these

14. Which expression has a value that is a rational number?  
 a)  $\sqrt{18} = 1.6$   
 b)  $\sqrt{3} = 0$   
 c)  $2\sqrt{5} = 7$   
 d)  $\sqrt{9} = 4$

15. Subtract  $(6a^2 + a - 5) - (3a^2 - 8a - 3)$   
 $6a^2 + a - 5 - 3a^2 + 8a + 3$   
 $3a^2 + 9a - 2$

Jan 10-10:39 AM

January 15, 2019, Tuesday

1. 43 miles into feet  
 $43 \text{ mi} \left( \frac{5280 \text{ ft}}{1 \text{ mi}} \right) = 227040 \text{ ft}$

2. 165 pounds into kilograms  
 $165 \text{ lb} \left( \frac{1 \text{ kg}}{2.2 \text{ lb}} \right) = 75 \text{ kg}$

3. 5,400 inches to miles  
 $5400 \text{ in} \left( \frac{1 \text{ ft}}{12 \text{ in}} \right) \left( \frac{1 \text{ mi}}{5280 \text{ ft}} \right) = 0.85 \text{ mi}$

9. 1.09 g/mL to lbs/qt  
 $1.09 \frac{\text{g}}{\text{mL}} \left( \frac{1 \text{ lb}}{454 \text{ g}} \right) \left( \frac{946 \text{ mL}}{1 \text{ qt}} \right) = 2.27 \frac{\text{lbs}}{\text{qt}}$

Jan 10-10:35 AM

Name: \_\_\_\_\_ Date: \_\_\_\_\_

**Algebraic Properties**

Properties of Equality	Property	Example(s)
Addition Property of Equality	If $a = b$ , then $a + c = b + c$ .	
Subtraction Property of Equality	If $a = b$ , then $a - c = b - c$ .	
Multiplication Property of Equality	If $a = b$ , then $ac = bc$ .	
Division Property of Equality	If $a = b$ , then $a/c = b/c$ .	
Symmetric Property of Equality	If $a = b$ , then $b = a$ .	
Transitive Property of Equality	If $a = b$ and $b = c$ , then $a = c$ .	

  

Properties of Operations and Identities	Property	Example(s)
Commutative Property of Addition	$a + b = b + a$	
Commutative Property of Multiplication	$a \cdot b = b \cdot a$	
Associative Property of Addition	$a + (b + c) = (a + b) + c$	
Associative Property of Multiplication	$a \cdot (b \cdot c) = (a \cdot b) \cdot c$	
Distributive Property	$a \cdot (b + c) = a \cdot b + a \cdot c$	
Multiplicative Identity Property	$a \cdot 1 = a$	
Additive Inverse Property	$a + (-a) = 0$	
Multiplicative Inverse Property	$\frac{a}{b} \cdot \frac{b}{a} = 1$	
Multiplicative Property of Zero	$a \cdot 0 = 0$	

Jan 10-11:13 AM

**Properties of Equality**

Identify the property of equality:

- $9 \cdot 7 = 7 \cdot 9$
- $2(-3-4) = (-2 \cdot 3) \cdot 4$
- $4(a + b) = 4a + 4b$
- $14 + 6 = 6 + 14$
- $3(6a) = (3 \cdot 6)a$
- If  $a = b$  then  $a + 4 = b + 4$
- $55 + 6 = 6 + 55$
- $|x + 3| + y = x + (3 + y)$
- If  $a = c$ , then  $a - 5 = c - 5$
- $9 \cdot (5 + 35) = (9 \cdot 5) + 35$
- $8(a + c) = 8a + 8c$
- $A + B = B + A$
- $4(-2) = (-4 \cdot 2)$

Jan 10-11:13 AM

**Properties of Equality Practice** Name: \_\_\_\_\_ Period: \_\_\_\_\_

For each problem, complete the table by filling in the missing equation or step.

- | Equation       | Step                             |
|----------------|----------------------------------|
| $3x + 12 = 18$ | Original Equation                |
| $3x = 6$       | Subtraction property of equality |
| $x = 2$        |                                  |
- | Equation      | Step                             |
|---------------|----------------------------------|
| $3k + 5 = 17$ | Original Equation                |
|               | Subtraction property of equality |
| $k = 4$       | Division property of equality    |
- | Equation              | Step                             |
|-----------------------|----------------------------------|
| $3(5x - 1) = 13x + 5$ | Original Equation                |
| $15x - 3 = 13x + 5$   |                                  |
| $2x - 3 = 5$          | Subtraction property of equality |
| $2x = 8$              |                                  |
| $x = 4$               |                                  |
- | Equation              | Step                             |
|-----------------------|----------------------------------|
| $\frac{v + 9}{3} = 8$ | Original equation                |
| $v + 9 = 24$          |                                  |
|                       | Subtraction property of equality |

Jan 10-11:13 AM

- | Equation        | Step              |
|-----------------|-------------------|
| $2(n + 5) = -2$ | Original equation |
|                 |                   |
| $n = -6$        |                   |
- | Equation            | Step              |
|---------------------|-------------------|
| $7y - 84 = 2y + 61$ | Original Equation |
|                     |                   |
| $y = 29$            |                   |
- | Equation              | Step              |
|-----------------------|-------------------|
| $\frac{x + 5}{6} = 2$ | Original Equation |
|                       |                   |
| $x = 7$               |                   |
- | Equation                | Step              |
|-------------------------|-------------------|
| $2(12x - 1) = 4(x + 2)$ | Original Equation |
|                         |                   |
| $x = \frac{1}{2}$       |                   |

Jan 10-11:14 AM

GSE Algebra I Unit 2A Practice

**Properties of Equalities**

Identify the property of equality that justifies each missing step or equation in each of the following tables.

- | Equation               | Steps                         |
|------------------------|-------------------------------|
| 1. $3x + 12 = 8x - 18$ | Given                         |
| 2. $12 = 5x - 18$      | Addition Property of Equality |
| 3. $6 = x$             |                               |
- | Equation         | Steps                         |
|------------------|-------------------------------|
| 1. $3k + 5 = 17$ | Given                         |
| 2. $3k = 12$     |                               |
| 3. $k = 4$       | Division Property of Equality |
- | Equation           | Steps |
|--------------------|-------|
| 1. $-6a - 5 = -95$ | Given |
| 2. $-6a = -90$     |       |
| 3. $a = 15$        |       |

Jan 10-11:14 AM

GSE Algebra I Unit 2A Practice

- | Equation                 | Steps |
|--------------------------|-------|
| 1. $3(5x + 1) = 13x + 5$ | Given |
| 2. $15x + 3 = 13x + 5$   |       |
| 3. $2x + 3 = 5$          |       |
| 4. $2x = 2$              |       |
| 5. $x = 1$               |       |
- | Equation               | Steps |
|------------------------|-------|
| 1. $7y - 84 = 2y + 61$ | Given |
| 2. $5y - 84 = 61$      |       |
| 3. $5y = 145$          |       |
| 4. $y = 29$            |       |
- | Equation                        | Steps |
|---------------------------------|-------|
| 1. $4(5n + 7) - 3n = 3(4n - 9)$ | Given |
| 2. $20n + 28 - 3n = 12n - 27$   |       |
| 3. $17n + 28 = 12n - 27$        |       |
| 4. $5n = -55$                   |       |
| 5. $n = -11$                    |       |
| 6. $n = -11$                    |       |

Jan 10-11:16 AM

January 17, 2019, Thursday

List 3 algebraic properties and an example for each.

Jan 10-11:16 AM

GSE Algebra 1  
Properties Quick Check

Name \_\_\_\_\_  
Block \_\_\_\_\_ Date \_\_\_\_\_

**For 1-10, Match the following property with its example.**

_____ 1. Commutative Property of Addition	A. $6 \cdot 0 = 0$
_____ 2. Commutative Property of Multiplication	B. $6 + (5 + 1) = (6 + 5) + 1$
_____ 3. Associative Property of Addition	C. $\frac{1}{2} \cdot \frac{2}{3} = 1$
_____ 4. Associative Property of Multiplication	D. $3(2x + 8) = 6x + 24$
_____ 5. Distributive Property	E. $10 + (-10) = 0$
_____ 6. Additive Identity Property	F. $7 \cdot 0 = 0 \cdot 7$
_____ 7. Multiplicative Identity Property	G. $8 \cdot 1 = 8$
_____ 8. Additive Inverse Property	H. $2 \cdot (3 \cdot 8) = (2 \cdot 3) \cdot 8$
_____ 9. Multiplicative Inverse Property	I. $9 + 0 = 9$
_____ 10. Multiplicative Property of Zero	J. $8 + 0 = 6 + 8$

**For 11-12, Identify the property of equality that justifies each missing step or equation in each of the tables below.**

11.

Statement	Reason
1. $14x + 8 = 12x + 10$	Given
2. $2x + 8 = 10$	
3. $2x = 2$	Subtraction Property of Equality
4. $x = 1$	

12.

Statement	Reason
1. $4(2x + 1) = 2x + 28$	Given
2.	Distributive Property
3. $6x + 4 = 28$	
4.	Subtraction Property of Equality
5. $x = 4$	Division Property

Jan 10-11:21 AM

**Literal Equations and Dimensional Analysis Task**

- The area of a triangle is found using the formula  $A = \frac{1}{2}bh$ .
  - Find the area of a triangle with a height of 6cm and a base of 3cm.
  - Solve the area formula for b.
  - Find the base of a triangle whose area is 20in and whose height is 4in.
- The formula  $d = rt$  tells the distance traveled at a given rate and time.
  - Solve the equation for t.
  - Determine how long it will take an airplane to travel 2,000 miles if it flies:
    - 200 miles per hour
    - 400 miles per hour
    - 600 miles per hour
- The formula for the perimeter of a package is  $P = 2L + 2W$ , where L is the length and W is the width.
  - Solve the formula for length.
  - What is the length of a package that has a perimeter of 22 cm and a width of 5 cm?
- The formula  $S = L - rL$  shows the relationship among the sale price S, the list price L, and the discount rate r.
  - Solve for r.
  - Use the new formula to find the discount rate as a decimal and as a percent.
    - Sale price of \$40 and list price of \$50.
    - Sale price of \$102 and list price of \$120.
- The volume of a box V is given by the formula  $V = hwh$ .
  - Solve the formula for h.
  - What is the height of a box with a volume of 50 cubic meters, length of 10 meters, and width of 2 meters?

Jan 10-11:19 AM

**Literal Equations and Dimensional Analysis Task**

- The area of a triangle is found using the formula  $A = \frac{1}{2}bh$ .
  - Find the area of a triangle with a height of 6cm and a base of 3cm.
  - Solve the area formula for b.
  - Find the base of a triangle whose area is 20in and whose height is 4in.
- The formula  $d = rt$  tells the distance traveled at a given rate and time.
  - Solve the equation for t.
  - Determine how long it will take an airplane to travel 2,000 miles if it flies:
    - 200 miles per hour
    - 400 miles per hour
    - 600 miles per hour
- The formula for the perimeter of a package is  $P = 2L + 2W$ , where L is the length and W is the width.
  - Solve the formula for length.
  - What is the length of a package that has a perimeter of 22 cm and a width of 5 cm?
- The formula  $S = L - rL$  shows the relationship among the sale price S, the list price L, and the discount rate r.
  - Solve for r.
  - Use the new formula to find the discount rate as a decimal and as a percent.
    - Sale price of \$40 and list price of \$50.
    - Sale price of \$102 and list price of \$120.
- The volume of a box V is given by the formula  $V = hwh$ .
  - Solve the formula for h.
  - What is the height of a box with a volume of 50 cubic meters, length of 10 meters, and width of 2 meters?

Jan 10-11:20 AM

GSE Algebra 1                      Unit 2A                      Practice

---

**Solving for Missing Variable**

Ex 1)  $2x + y = 8$  (x)    Do    Undo    Ex 2)  $\frac{x+3}{5} = y$  (x)    Do    Undo

---

Practice Problems:  
**Rewrite each equation in terms of the indicated (letter).**

1) $P = RRT$ (T)	2) $P = 2(L + W)$ (W)
3) $y = 5x - 10$ (y)	4) $2x - 3y = 9$ (y)
5) $\frac{x+y}{3} = 5$ (y)	6) $y = mx + b$ (y)
7) $ax + by = c$ (y)	8) $V = LWH$ (L)
9) $ax + by = c$ (y)	10) $2x - 3y = 8$ (y)

Jan 10-11:22 AM

GSE Algebra 1                      Unit 2A                      Practice

---

**Rewrite each equation in terms of the indicated (letter).**

1) $P = 2L + 2W$ (W)	2) $S = 2rth$ (h)
3) $E = mc^2$ (m)	4) $-20x - 5y = 30$ (y)
5) $A = \frac{bh}{2}$ (h)	6) $y = mx + b$ (y)
7) $V = \frac{1}{3}Bh$ (h)	8) $A = \frac{a+b+c}{3}$ (c)
9) $m = \frac{2E}{V}$ (E)	10) $6x + 3y = -15$ (y)

Jan 10-11:22 AM

January 11, 2019, Friday

Solve:  $y = mx + b$  for  $b$

Solve

Jan 10-11:23 AM

load 2 more assignments!

Jan 10-11:25 AM