

April 15, 2019, Monday

Item 19
Selected Response
total area of... $(3x+1) + (2x+3)$
 $3x^2 + x + 2x^2 + 6x$

Item 17
Extended Constructed-Response
Part A: $a=1, b=6, c=8$
Part B: Explain how you know the function $f(x) = x^2 - 6x + 8$ has a minimum value and not a maximum value.
Part A: $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
 $x = \frac{-(-6) \pm \sqrt{(-6)^2 - 4(1)(8)}}{2(1)}$
I used the quadratic formula to find the zeros.

Item 17
Points Awarded
Part A: The zeros are 2 and 4.
AND
To find the zeros, I set the value of the function equal to 0 and factored the quadratic expression on the right. I set $x^2 - 6x + 8 = 0$ and factored it to get $(x-2)(x-4) = 0$. I set each factor equal to 0, so $x-2=0$ or $x-4=0$. The solutions are $x=2$ and $x=4$.
AND
Part B: The coefficient of x^2 is positive, so the function opens up, which means it has a minimum value instead of a maximum value.
AND
The minimum value of the function is 1.

Algebra 1 - U3C Day 4 Unit 3C Test Review Part 1

Graph the following equation. Then, write the characteristics for the graph.

1. $2(x+3)^2 - 5$
Vertex: $(-3, -5)$
Axis of Sym: $x = -3$
Domain: $[-\infty, \infty)$
Range: $[-5, \infty)$
Increases: $(-3, \infty)$
Decreases: $(-\infty, -3)$
y-int: $(0, -18)$
End Behavior: As $x \rightarrow -\infty, f(x) \rightarrow \infty$; As $x \rightarrow \infty, f(x) \rightarrow \infty$

2. $y = -x^2 + 4x$
Vertex: $(2, 4)$
Axis of Sym: $x = 2$
Domain: $[-\infty, \infty)$
Range: $(-\infty, 4]$
Increases: $(-\infty, 2)$
Decreases: $(2, \infty)$
y-int: $(0, 0)$
End Behavior: As $x \rightarrow -\infty, f(x) \rightarrow -\infty$; As $x \rightarrow \infty, f(x) \rightarrow -\infty$

Describe the transformations to the parent function in the given equations.
3. $y = -(x+2)^2 - 5$: opens down, left 2, down 5
4. $y = 3(x-4)^2 + 2$: stretch/shrink 3, right 4, up 2

Write the quadratic equation of the graph that has been...
5. shifted down 1 and shrunk by a factor of 3: $y = a(x-h)^2 + k$
 $y = \frac{1}{3}(x^2 - 1) + 4$
 $y = \frac{1}{3}x^2 - \frac{1}{3} + 4$
 $y = \frac{1}{3}x^2 - \frac{1}{3} + \frac{4}{3}$
 $y = \frac{1}{3}x^2 + 1$

6. reflected over the x-axis and has shifted right 2: $y = a(x-h)^2 + k$
 $y = -(x-2)^2 - 6$
 $y = -(x^2 - 4x + 4) - 6$
 $y = -x^2 + 4x - 4 - 6$
 $y = -x^2 + 4x - 10$

Change the equations to vertex form: $y = a(x-h)^2 + k$

9. $y = x^2 + 6x - 2$
 $a = 1, b = 6, c = -2$
 $h = -\frac{b}{2a} = -\frac{6}{2(1)} = -3$
 $k = (-3)^2 + 6(-3) - 2 = -11$
 $y = 1(x+3)^2 - 11$
 $y = (x+3)^2 - 11$

10. $y = x^2 + 8x + 1$
 $a = 1, b = 8, c = 1$
 $h = -\frac{b}{2a} = -\frac{8}{2(1)} = -4$
 $k = (-4)^2 + 8(-4) + 1 = -15$
 $y = 1(x+4)^2 - 15$
 $y = (x+4)^2 - 15$

11. What is the vertex and axis of symmetry of the quadratic $y = 2x^2 - 4x + 3$?
a) $(2, -3); x = 3$
b) $(3, 4); x = 4$
c) $(2, 3); x = 3$
d) $(4, 3); x = 4$
ANS: $(1, 2)$
 $y = a(x-h)^2 + k$
 $y = 2(x-1)^2 + 4$
 $h = 1, k = 4$
ANS: $(1, 2)$

12. Identify the vertex of the quadratic function $f(x) = x^2 + 10x - 9$?
a) $(5, 69)$
b) $(5, -9)$
c) $(-5, -9)$
d) $(-5, 34)$
ANS: $(-5, -14)$
 $a = 1, b = 10, c = -9$
 $h = -\frac{b}{2a} = -\frac{10}{2(1)} = -5$
 $k = (-5)^2 + 10(-5) - 9 = -14$

13. Which function is shown in the graph?
a) $f(x) = x^2 - 3x - 10$
b) $f(x) = x^2 + 2x - 10$
c) $f(x) = x^2 + x - 12$
d) $f(x) = x^2 - 5x - 8$
ANS: $(-2, -10)$
 $y = a(x-h)^2 + k$
 $y = x^2 + 2x - 10$
 $h = -1, k = -11$

14. Tell whether the graph of the quadratic function $y = -2x^2 - 5x + 15$ opens up or down, and why.
a) Because $a < 0$, the parabola opens down.
b) Because $a < 0$, the parabola opens up.
c) Because $a > 0$, the parabola opens down.
d) Because $a > 0$, the parabola opens up.
ANS: a

Quiz Review

5) $y = 2(x-4)^2 + 1$ vertex: $(h, k) = (4, 1)$
axis: $x = 4$

Algebra

Item 9
Extended Constructed-Response
Any owns a graphic design store. She purchases a new printer to use in her store. The printer depreciates by a fixed rate per year. The function $f = 2,400(0.86)^t$ can be used to model the value of the printer in dollars after t years.
Part A: Explain what the parameter 2,400 represents in the equation of the function. Write your answer in the space provided.
Part B: At what rate does the value of the printer increase or decrease each year? Explain your answer. Write your answer in the space provided.
Part C: What is the value of the printer after 5 years rounded to the nearest dollar? Write your answer in the space provided.

Algebra

Item 9
Exemplar Response
Part A: The parameter 2,400 represents the initial value of the printer in dollars. Or other valid explanation.
AND
Part B: 14% decrease each year.
AND
The base of the exponent is 0.86 which comes from subtracting the rate from 1. The rate is -0.14 or decreasing by 14%.
AND
Part C: \$1,129
The student correctly answers three of the four parts.
The student correctly answers two of the four parts.
The student correctly answers one of the four parts.
Response is irrelevant, inappropriate, or not provided.

April 16, 2019, Tuesday

Item 16
Multi-Part Technology-Enhanced
A quadratic function is shown.

$f(x) = x^2 + 8x + 15$

Part A
What is the factored form of $f(x)$ that reveals the zeros of the function?

A. $f(x) = (x+2)(x+3)$
 B. $f(x) = (x+3)(x+5)$
 C. $f(x) = (x+2)(x+5)$
 D. $f(x) = (x+1)(x+15)$

Part B
What is the equivalent form of $f(x)$ that reveals the minimum value of the function?

A. $f(x) = (x+4)^2 - 1$
 B. $f(x) = (x+3)^2$
 C. $f(x) = (x+2)^2 + 3$
 D. $f(x) = (x+1)^2 + 8$

Handwritten notes:
 Quadratic Equations
 Standard Form: $y = ax^2 + bx + c$
 Vertex Form: $y = a(x-h)^2 + k$
 $a=1, b=8, c=15$
 $h = -\frac{b}{2a} = -\frac{8}{2} = -4$
 $k = (-4)^2 + 8(-4) + 15 = -1$
 $y = 1(x-4)^2 - 1$
 test...

Georgia Milestones Algebra I EOC Assessment Guide

Item 1
Which set of data points could be modeled by a decreasing linear function?
 A. (0, 0), (1, 8), (2, 15), (3, 22), (4, 30)
 B. (0, 5), (1, 6), (2, 10), (3, 16), (4, 28)
 C. (0, 50), (1, 42), (2, 33), (3, 25), (4, 18)
 D. (0, 64), (1, 60), (2, 52), (3, 39), (4, 22)

Item 2
Use these functions to answer this question.
 $F(x) = x^2 - x - 6$
 $G(x) = x - 3$
 What is $F(x) - G(x)$?
 A. $x^2 - 3$
 B. $x^2 - 9$
 C. $x^2 - 2x - 3$
 D. $x^2 - 2x - 9$

Item 3
The total daily expenses to operate Sheila's pie bakery are the cost of salaries and ingredients. Sheila has four employees, and she pays each worker a daily rate. On average, it costs the same amount of money to make each pie. This expression shows the total daily expenses for Sheila's bakery to make x pies.
 $4(75) + 0.50x$
 What does the term $4(75)$ represent?
 A. The amount of money Sheila must pay her employees per day.
 B. The number of pies Sheila must sell per day.
 C. The total cost of expenses per pie.
 D. The amount of money customers pay per pie.

Georgia Milestones Algebra I EOC Assessment Guide

Item 4
Which function represents the data in the table?

x	3	6	10	15
y	2.5	4	6	8.5

A. $f(x) = 2x + 1$
 B. $f(x) = \frac{1}{2}x - 1$
 C. $f(x) = 2x - 1$
 D. $f(x) = \frac{1}{2}x + 1$

Item 5
What is the solution to this system of equations?
 $x - 3y = 1$
 $x - 2y = 6$
 A. (-4, -5)
 B. (-2, -1)
 C. (4, 1)
 D. (16, 5)

Georgia Milestones Algebra I EOC Assessment Guide

Item 6
Information about the costs of three catering companies is shown in this table.

Catering Company Costs

Acme Catering Company	Best Foods Company	Creative Catering Company
\$6 per person plus a flat \$100 time and equipment charge	\$8 per person plus a flat \$40 time and equipment charge	\$10 per person charge with no other fees

Gavin can spend no more than \$300 on catering. What is the greatest number of people he can invite using one of the three caterers?
 A. 30
 B. 32
 C. 33
 D. 37

Georgia Milestones Algebra I EOC Assessment Guide

Item 7
Which set of data could be BEST modeled by a quadratic function?

A.

B.

C.

D.

Georgia Milestones Algebra I EOC Assessment Guide

Item 8
This list shows the number of text messages each student in a group sent in one day.
 16, 2, 8, 5, 3, 20,
 15, 4, 9, 16, 19, 17
 The students are creating this histogram to show their data.

What should be the height of the bar for 6-10 text messages?
 A. 1
 B. 2
 C. 4
 D. 5

Georgia Milestones Algebra I EOC Assessment Guide

Item 8

This list shows the number of text messages each student in a group sent in one day.

16, 2, 8, 5, 3, 20,
15, 4, 9, 16, 19, 17

The students are creating this histogram to show their data.

What should be the height of the bar for 6-10 text messages?

A. 1
B. 2
C. 4
D. 5

7

Georgia Milestones Algebra I EOC Assessment Guide

Item	Standard/Element	DOK Level	Correct Answer	Explanation
1	MGSE9-12S.D.6a	1	C	The correct answer is choice (C) 0.0, 1, 42, 0, 33, (3, 25), (4, 16). This set of data points is the only one from the list that could be modeled by a decreasing linear function, which has a negative value for a in the linear function formula: $f(x) = ax + b$. Choice (A), (B), and (D) are incorrect because the data points do not correspond to a function with a negative value for a in the linear function formula.
2	MGSE9-12A.APR.1	2	C	The correct answer is choice (C) $x^2 - 2x - 3$. This indicates a correct calculation of $(1+1)(-1) = 1^2 + 6(-1)(-3) = 1^2 + x - 6 + 3 = x^2 - 2x - 3$. Choice (A) is incorrect due to a sign error on the terms x . Choice (B) is incorrect due to adding 3 and 6 . Choice (D) is incorrect due to a sign error on the number 3 .
3	MGSE9-12A.SSE.1a	2	A	The correct answer is choice (A) The amount of money Sheila must pay her employees per day. Choice (B) is incorrect because the number of pies Sheila must sell per day is represented by x . Choice (C) is incorrect because the total cost of expenses per pie is represented by the value of the entire expression. Choice (D) is incorrect because the amount of money customers pay per pie is not represented in the expression.
4	MGSE9-12F.BF.1	2	D	The correct answer is choice (D) $f(x) = \frac{1}{2}x + 1$. When the x -values in the table are substituted for x in this function, the result is equal to the corresponding y -value. Choice (A) is incorrect because the function indicates multiplication of 2 and x instead of division of x by 2 . Choice (B) is incorrect because the function indicates subtraction of 1 instead of addition of 1 . Choice (C) is incorrect because the function indicates multiplication of 2 and x instead of division of x by 2 and indicates subtraction of 1 instead of addition of 1 .

10

Georgia Milestones Algebra I EOC Assessment Guide

Item	Standard/Element	DOK Level	Correct Answer	Explanation
5	MGSE9-12A.REI.6	2	D	The correct answer is choice (D) (16, 5). When the values of the coordinate pair are substituted into the system of equations, both sides are equal for both equations. As such, the coordinate pair represents a solution to the system of equations. Choices (B) and (C) are incorrect because the values of the coordinate pair, when substituted into the system of equations, result in an incorrect solution for the second equation. Choice (A) is incorrect because the values of the coordinate pair, when substituted into the system of equations, result in an incorrect solution for the first equation.
6	MGSE9-12A.CED.1	3	C	The correct answer is choice (C) 33. At \$6 per person, and with a \$100 flat service charge added, Acme Catering Company can provide services for 23 people at a cost of \$208. Choice (D) is incorrect because it is the number from the Orville Catering Company, but not the largest number possible. Choice (B) is incorrect because it is the number from the Best Foods Company, but not the largest number possible. Choice (A) is incorrect because the student selects the highest number without basing the response on the correct provided.
7	MGSE9-12S.B.6a	2	C	The correct answer is choice (C). The data in the graph represents a quadratic trend. The graphs in (A) and (D) represent a correlation to linear trends. The graph in (B) represents data with no clear correlation.
8	MGSE9-12S.D.1	2	B	The correct answer is choice (B) 2. Only 2 students sent 6-10 text messages. Choices (A), (C), and (D) are incorrect because the student either made a counting mistake or listed all the numbers for 1-5 or 16-20 text messages instead of those for 6-10.
9	MGSE9-12A.REI.3	3	N/A	See next page for scoring rubric and responses.
10	MGSE9-12F.LE.5	3	N/A	See next page for scoring rubric and responses.

11

Below are scoring rubrics and sample exemplar responses for Items 9 & 10.

Item 9

Scoring Rubric

Points	Description
2	The response achieves the following: • student gets Part A AND Part B correct
1	The response achieves the following: • student gets Part A OR Part B correct
0	The response achieves the following: • student gets neither Part A nor Part B correct

Exemplar Response

Points Awarded	Response
2	Part A: Jill did not invert the inequality sign in step 4 when dividing by a negative number. AND Part B: $-3x - 4x + 8$ $-7x + 8$ $x > \frac{8}{-7}$
1	Part A: Jill did not invert the inequality sign in step 4 when dividing by a negative number. OR Part B: $-3x - 4x + 8$ $-7x + 8$ $x > \frac{8}{-7}$
0	Student does not produce a correct response or a correct process.

12

Item 10

Scoring Rubric

Points	Description
4	The response achieves the following: Student demonstrates a complete and thorough understanding of interpreting the parameters in a linear function in terms of a context. Award 4 points for a student response that contains all of the following elements: • Part A: \$2,000 • Part B: 0.09% per month • Part C: 22 months • Part D: \$2,231.94. Since it will take 22 months for the student council to save enough money, the first function can be solved for $\sqrt{22}$, which equals 2,231.94.
3	The response achieves the following: Student demonstrates nearly complete understanding of interpreting the parameters in a linear function in terms of a context. Award 3 points for a student response that contains any 3 of the following elements: • Part A: \$2,000 • Part C: 0.09% per month • Part C: 22 months • Part D: \$2,231.94. Since it will take 22 months for the student council to save enough money, the first function can be solved for $\sqrt{22}$, which equals 2,231.94. Scoring Note: If an error is made in one of these response elements, future response elements based on that should count as correct based upon the previous error. For example, if the student indicates 8 months as the response to Part C and computes a response to Part D that is correct for 8 months, then the Part D element should be scored as correct.
2	The response achieves the following: Student demonstrates partial understanding of interpreting the parameters in a linear function in terms of a context. Award 2 points for a student response that contains any 2 of the following elements: • Part A: \$2,000 • Part B: 0.09% per month (see "Note for Educators" below) • Part B: 0.09% (with or without "rate" duration included) • Part C: 22 months • Part D: \$2,231.94 Scoring Note: If an error is made in one of these response elements, future response elements based on that should count as correct based upon the previous error. For example, if the student indicates 8 months as the response to Part C and computes a response to Part D that is correct for 8 months, then the Part D element should be scored as correct. Note for Educators: Higher score levels reflect higher levels of precision and accuracy within the response. At lower score levels, incorrect responses which indicate partial understanding of the concepts under assessment may be awarded points. In this example, the two possible responses for Part B represent cases where the student is demonstrating a partial understanding of how to interpret the number 1.00% within this context, so students who correct these errors will receive partial credit in their responses at the 1- and 2-point levels.

Exemplar Response

Points Awarded	Response
4	Part A: \$2,000 Part B: 0.09% per month Part C: 22 months Part D: \$2,231.94
3	Part A: \$2,000 Part B: 0.09% per month Part C: 22 months Part D: \$2,231.94
2	Part A: \$2,000 Part B: 0.09% per month Part C: 22 months Part D: \$2,000
1	Part A: \$2,000 Part B: 0.09% Part C: 20 months Part D: \$4,000
0	Part A: \$500 Part B: 1.00% Part C: 5 Part D: \$2,000

13

Scoring Rubric

Points	Description
1	The response achieves the following: Student demonstrates minimal understanding of interpreting the parameters in a linear function in terms of a context. Award 1 point for a student response that contains any 1 of the following elements: • Part A: \$2,000 • Part B: 0.09% per month (See "Note for Educators" below) • Part B: 0.09% (with or without "rate" duration included) • Part C: 1.000% per month • Part C: 22 months • Part D: \$2,231.94 Scoring Note: If an error is made in one of these response elements, future response elements based on that should count as correct based upon the previous error. For example, if the student indicates 8 months as the response to Part C and computes a response to Part D that is correct for 8 months, then the Part D element should be scored as correct. Note for Educators: Higher score levels reflect higher levels of precision and accuracy within the response. At lower score levels, incorrect responses which indicate partial understanding of the concepts under assessment may be awarded points. In this example, the two possible responses for Part B represent cases where the student is demonstrating a partial understanding of how to interpret the number 1.00% within this context, so students who correct these errors will receive partial credit in their responses at the 1- and 2-point levels.
0	The response achieves the following: The student demonstrates limited to no understanding of interpreting the parameters in a linear function in terms of a context.

Exemplar Response

Points Awarded	Response
4	Part A: \$2,000 Part B: 0.09% per month Part C: 22 months Part D: \$2,231.94
3	Part A: \$2,000 Part B: 0.09% per month Part C: 22 months Part D: \$2,231.94
2	Part A: \$2,000 Part B: 0.09% per month Part C: 22 months Part D: \$2,000
1	Part A: \$2,000 Part B: 0.09% Part C: 20 months Part D: \$4,000
0	Part A: \$500 Part B: 1.00% Part C: 5 Part D: \$2,000

14

Algebra 1

EOC Practice Test Prep Bubble Sheet Answer Key
Student Name: _____

1 A B C D

2 A B C D

3 A B C D

4 A B C D

Place response to question 9 part A below:

Place response to question 9 part B below:

15

Algebra 1

Answer parts A, B, C, & D for item number 10 below:

Part A: _____

Part B: _____

Part C: _____

Part D: _____

16

April 17, 2019, Wednesday

Item 14	Item 15			
Selected-Response	Selected-Response			
Which value is an irrational number?				
A. $4 + \sqrt{7}$	14	MGSE9-12.N.RN.3	2	A
B. $\sqrt{2} \sqrt{8}$				The correct answer is choice (A) $4 + \sqrt{7}$. Choice (B) is incorrect because it simplifies to 4. Choice (C) is incorrect because it simplifies to $\frac{8}{5}$. Choice (D) is incorrect because it simplifies to 0.
C. $\frac{\sqrt{3} \sqrt{12}}{5}$				
D. $\sqrt{3} - \sqrt{3}$	15	MGSE9-12.F.IF.6	2	C
				The correct answer is choice (C) -3 . Rate of change is found by finding the slope of the line containing the indicated points. Choice (A) is incorrect because it incorrectly computes the slope. Choice (B) is incorrect because it reverses the numerator and denominator in the slope formula. Choice (D) is incorrect because it incorrectly computes the slope.

B. $-\frac{1}{3}$
C. -3
D. -4

Test Review

$y = a(x-h)^2 + k$
 $y = 2(x-4)^2 + 6$

Vertex: $(4, 6)$

Graph of a parabola opening upwards with vertex at $(4, 6)$.

Equation of the line of best fit: $y = 2x - 4$

Graph of a line with slope 2 and y-intercept -4.

Area of a triangle: $A = \frac{1}{2}bh = \frac{1}{2}(4)(3) = 6$

Volume of a cylinder: $V = \pi r^2 h = \pi(2)^2(3) = 12\pi$

Area of a circle: $A = \pi r^2 = \pi(3)^2 = 9\pi$

Area of a rectangle: $A = lw = 4 \times 3 = 12$

Area of a trapezoid: $A = \frac{1}{2}(b_1 + b_2)h = \frac{1}{2}(4 + 6)(3) = 15$

Algebra 1 ~ U6 Day 1

Term	Describe	Example
Measures of Center		Mean (Avg) $\frac{2+5+7}{3} = 4.67$ Median $2, 3, 2, 7 \rightarrow 2, 3, 2, 7 \rightarrow 4, 4, 5$ Mode $2, 3, 2, 4 \rightarrow 2$
Mean	The <u>mean</u> of a data set, found by adding all values and dividing by the number of data points	Find the mean: $\frac{5+4+2+6+3}{5} = 4$
Median	The <u>median</u> value of a data set; 50% of the data is less than this value, and 50% is greater than it	$80, 80, 80, 80, 80, 80, 80, 80, 80, 80$ $80 = 80$
Measures of Variability (spread)		Range $2, 3, 8, 6, 5$ high-low = $8-2 = 6$ Interquartile Range (IQR) $65, 70, 75, 80, 80, 85, 90, 95, 100$ Median = 80
Range	The <u>difference</u> between the <u>highest</u> and <u>lowest</u> numbers in the data set.	Range = $100 - 65 = 35$
Outlier	A data value that is much <u>larger</u> than or much <u>smaller</u> than the rest of the data in a data set.	100 is an outlier
First Quartile	The value that identifies the <u>lower</u> 25% of the data; the median of the <u>lower</u> half of the data set.	Q1 = 65
Third Quartile	The value that identifies the <u>upper</u> 25% of the data; the median of the <u>upper</u> half of the data set.	Q3 = 95

Interquartile Range	The <u>difference</u> between the third and first quartiles; 50% of the data is contained within this range.	IQR = Third Quartile (Q3) - First Quartile (Q1) IQR from above = $90 - 70$ IQR = 20
Box Plot	A plot showing the <u>minimum</u> , <u>maximum</u> , <u>Q1</u> , <u>Q3</u> , and <u>median</u> of a data set; the middle 50% of the data is indicated by a box.	Minimum: 0, 10, 20, 30, 40, 50, 60, 70 Maximum: 70 Q1: 30 Median: 40 Q3: 50
Dot Plot	A <u>dot</u> plot that shows the number of times a response occurred in a data set, where each data value is represented by a dot.	1, 2, 3, 4, 5, 6, 7, 8, 9, 10
Histogram	A <u>histogram</u> plot that shows the number of times a response or range of responses occurred in a data set. The bars are <u>shaded</u> and will be the <u>variety</u> across the chart.	0, 10, 20, 30, 40, 50, 60, 70

1. Given the following data set, find the mean, median, mode, and range. Use a calculator to find the mean and median.

Order data: $34, 42, 28, 17, 71, 62, 39, 37, 54, 12, 9, 60, 39$

Mean: $\frac{34+42+28+17+71+62+39+37+54+12+9+60+39}{13} = 43$

Median: $\frac{39+44}{2} = 41.5$

Mode: 39

Range: $71 - 9 = 62$

Box Plot: Min: 9, Q1: 31, Med: 41, Q3: 54, Max: 71

1) Use the box and whisker plot for questions 1-3. *Standard Deviation Graphs Practice*

2) Analyze the given histogram which displays the ACT composite score of several randomly chosen students.

Focus on Four Features:

- Center - Graphically, the center of a distribution is the point where about half of the data is on either side.
- Spread - The spread refers to the range/width of the data.
- Shape - The shape of a data distribution focuses on skew and height.
- Unusual Features - Such as skew outliers.

Spread - The width of the data

Shape - Described by normal, bell, and symmetric.

Unusual Features - The most common are bimodal and outlier.

Statistical Measures Unit 6 Day 1 Homework

1. Given the following data for temperatures in the first two weeks of February 2014. 51, 44, 28, 25, 17, 71, 62, 32.

a) Calculate the following:

Mean _____ Min _____ Max _____ Range _____
 Q1 _____ Median _____ Q3 _____ IQR _____

Box Plot:

2. Now look at the temperatures for the first 7 days of February 2013. 30, 46, 50, 27, 32, 45, 47, 53.

a) Calculate the following:

Mean _____ Min _____ Max _____ Range _____
 Q1 _____ Median _____ Q3 _____ IQR _____

Box Plot:

b) Which year has a higher mean? What does that tell us?
 c) Which year has a higher median? What does that tell us?
 d) Which year's temperatures were more variable? How do you know?
 e) If the temperature drops to 0 for 2 days in 2014, how does that affect the data?

f) Which measure of central tendency is most affected by the drop in temperature?
 Practice:

3. Kirsten plays softball in the spring. Each game, she records the number of times she reaches first base without being called out.

Game	Number of times at first
1	5
2	1
3	2
4	0
5	2
6	2
7	4
8	4
9	0

a. What was Kirsten's mean and median scores?
 b. What is the range of Kirsten's data?

4. The following are scores from a college basketball tournament.
 108, 107, 100, 120, 63, 119, 118

a. Find the mean and median scores.
 b. What do you notice about the mean and median scores? Compare them.
 c. What has caused the mean and median scores to differ?

5. Find the median, the first (lower) quartile, the third (upper) quartile, and the interquartile range of the following data. Then draw a box plot.
 40, 62, 47, 68, 12, 78, 49, 65, 49

3. Analyze the given dot plot which displays the number of home runs by each of the members of the Atlanta Braves team during the month of April and answer the questions accordingly.

i. Compute the mean of the data set (average home runs per player).
 ii. Determine the 5-number summary for home runs (Min, Q1, Median, Q3, Max).
 iii. Calculate the IQR.

Construct a box-and-whisker plot.

Item 11 April 18, 2019, Thursday

Selected Response

A scientist studied the relationship between the number of trees, x , per acre and the number of birds, y , in a neighborhood. She modeled the relationship with a scatter plot and wrote the equation of the regression line. What is the meaning of the slope and y -intercept of this regression line?

A. The slope is 6. This means that the average number of birds per acre in an area with no trees is 6. The y -intercept is 4. This means that for every 1 additional tree, she can expect an average of 4 additional birds per acre.

B. The slope is 6. This means that for every 1 additional tree, she can expect an average of 4 additional birds per acre. The y -intercept is 6. This means that the average number of birds per acre in an area with no trees is 6.

C. The slope is 4. This means that for every 1 additional tree, she can expect an average of 6 additional birds per acre. The y -intercept is 4. This means that the average number of birds per acre in an area with no trees is 4.

D. The slope is 4. This means that the average number of birds per acre in an area with no trees is 4. The y -intercept is 6. This means that for every 1 additional tree, she can expect an average of 6 additional birds per acre.

Slope-intercept Form: $y = mx + b$
 $y = 6x + 4$

Item 12

Selected Response

A random group of high school students was surveyed. Each student was asked whether it should be mandatory for all high school students to participate in a sport. The results are partially summarized in the two-way table.

	Agree	Disagree	No Opinion	Total
Freshman	53	12	7	72
Sophomore	65	37	2	104
Junior	18	42	12	72
Senior	56	47	4	107
Total	192	158	25	375

What percentage is closest to the number of students in the sophomore class who agree that it should be mandatory for all high school students to participate in a sport?

A. 14.1%
 B. 22.6%
 C. 53%
 D. 73.6%

Handwritten calculation: $\frac{53}{72} = 73.6\%$

11	MGSE9-12.S.ID.7	3
12	MGSE9-12.S.ID.5	2

Algebra 1 ~ U6 Day 2 Linear Regression Notes

A little vocab.

- The **best fit line** is the line that lies as close as possible to all the data points.
- Linear regression** is a method used to find the equation of the best fitting line or curve.

Line of Best Fit by Hand (Calculator)

1. The environment club is interested in the relationship between the number of canned beverages sold in the cafeteria and the number of cans that are recycled. The data they collected are listed in this chart.

Beverage Cans Recycling	
Number of Canned Beverages Sold	11 12 13 14
Number of Cans Recycled	8 9 10 11 12 13 14

a) Find the line of best fit. Round to two decimal places if needed. Also, identify the correlation coefficient and type of correlation.
 $y = 0.7x + 1$
 $r = 0.7$

b) Find and interpret the slope of the line of best fit.
 0.7 for every cans sold, .39 cans are recycled.

c) How many cans would be recycled if 14 cans were sold?
 $y = 0.7(14) + 1 = 7.84$

2. The table shows the total outstanding consumer debt (excluding home mortgages) in billions of dollars in selected years. (Data is from the Federal Reserve Bulletin.)

Year	1985	1990	1995	2000	2005
Consumer Debt	596	792	1096	1505	2002

a) Find the line of best fit. Round to two decimal places. Also, identify the correlation coefficient and type of correlation.
 $y = 79.85x + 158059.33$
 $r = 0.98$

b) Find and interpret the slope of the line of best fit.
 Consumer debt increases 79.85 per year

c) Find the approximate number of dollars in 2008.
 $y = 79.85(2008) + 158059.33 = 148273$

d) Find the approximate consumer debt in 2008.
 $y = 79.85(2008) + 158059.33 = 148273$

Correlation

A correlation coefficient is often used to present bivariate quantitative data. Each variable is represented on an axis and the axes are labeled accordingly.

A scatter plot displays data as points on a grid using the associated numbers as coordinates or ordered pairs (x, y). The way the points are arranged by themselves in a scatter plot may or may not suggest a relationship between the two variables. For instance, by reading the graph below, do you think there is a relationship between the hours spent studying and exam grades?

If y tends to increase as x increases, then the data have **positive** correlation.
 If y tends to decrease as x increases, then the data have **negative** correlation.

High Positive Correlation **High Negative Correlation** **No Correlation**

A correlation coefficient, denoted by r, is a number from -1 to 1 that measures how well a line fits a set of data pairs (x, y).

- If r is near 1, **highly + correlation**
- If r is near -1, **highly - correlation**
- If r is near 0, **No correlation**

Practice Problems:

For each scatter plot, tell whether the data have a positive correlation, a negative correlation, or no correlation. Then, tell whether the correlation is closest to -1, -0.5, 0, 0.5, or 1.

- 1
- +0.5
- Positive, negative, or no correlation?
 - Amount of exercise and percent of body fat - NO
 - A person's age and the number of medical conditions they have - NO
 - Temperature and number of ice cream cones sold - +
 - The number of students at Hillgrove and the number of dogs in Atlanta - NO
 - Age of a tadpole and the length of its tail - +

Causation Notes

When a scatter plot shows a correlation between two variables, even if it's a strong one, there is **not necessarily a cause-and-effect relationship**. Both variables could be related to some third variable that causes the apparent correlation. Also, an apparent correlation simply could be the result of chance.

Example 1: During the months of June the number of new babies born at the Utah Valley Hospital was recorded for a week. Over the same time period, the number of cakes sold at Carlo's Bakery in Hoboken, New Jersey was also recorded. What can be said about the correlation? Is there causation? Why or why not?

Number of babies born	Number of cakes sold
5	25
7	30
9	35
10	42
11	48
11	52
12	56

Example 2: Mr. Jones gave a math test to all the students in his school. He made the startling discovery that the taller students did better than the shorter ones. His Causation Statement: *As your height increases, so does your math ability.* What can be said about the correlation? Is there causation? Why or why not?

Example 3: In this present economy families are trying to find ways to save money. Families might be thinking about not eating out to spend less money. Causation Statement: *The more you eat out, the more money you spend at restaurants.* What can be said about the correlation? Is there causation? Why or why not?

Algebra 1 ~ U6 Day 2 Linear Regression HW Name _____

3. The table below shows the number of deaths per 100,000 people from heart disease in selected years. (Data is from the U.S. National Center for Health Statistics.)

Year	1960	1970	1980	1990	2000	2002
Deaths	559	463	412	322	258	240

a) Find the line of best fit. Round to two decimal places. Also, identify the correlation coefficient and type of correlation.

b) Find and interpret the slope of the line of best fit.

c) Find the approximate number of deaths due to heart disease in 1995.

d) Find the approximate number of deaths due to heart disease in 2008.

Correlation HW

1. From the information given,

- Determine if the correlation is positive, negative or none.
- Estimate the correlation coefficient.
- Is there causation? Why or why not?

2. A history teacher asked her students how many hours of sleep they had the night before a test. The data also shows the number of hours the student slept and their score on the exam. The graph is a scatter plot from the given data.

- Determine if the correlation is positive, negative, or none.
- Estimate the correlation coefficient.
- Is there causation? Would this information affect your behavior the night before a test?

3. The following chart shows violent crime rates compared to high school graduation for all fifty states.

- Determine if the correlation is positive, negative, or none.
- Estimate the correlation coefficient.
- Is this an illustration of cause and effect, or are these two variables simply correlated?

Stats in Class Assignment Name _____

Vocabulary: Matching

1. Mean	A. A number that is beyond the data points that are given
2. Median	B. Add all the data points together & divide by the number of data points in the set
3. Mode	C. Maximum - Minimum
4. Measures of center	D. The number that occurs the most
5. Range	E. The median of the lower half of the data
6. Histogram	F. Mean, Median, and Mode
7. Box plot	G. A bar graph where the bars must be touching and equally spaced
8. Measures of variability	H. The graph that contains the 5-number summary (Min, Q1, Median, Q3, & Max)
9. First Quartile	I. When arranged from least to greatest, the middle number
10. Third Quartile	J. Interquartile range and Range
11. Interquartile Range	K. The median of the upper half of the data
12. Dot plot	L. Third Quartile - First Quartile
13. Outlier	M. A graph that uses data to represent the frequency of data points

MULTIPLE CHOICE

14. How much data lies between Q₁ and Q₃?
 A. 25% B. 50% C. 75% D. 100%

15. Which of the following is one of the 5 values needed to make a box-and-whisker plot?
 A. Mean B. Median C. Mode D. Range

16. The table shows the sizes, in square feet, of a sample of eight houses from a neighborhood. What is the range of the sizes of the houses? (Hint: Range = Max - Min)

House	1	2	3	4	5	6	7	8
Size	1232	1226	2244	198	12145	1200	1077	2425

A. 2957.75 B. 1394 C. 1348.5 D. 11,997

For 17 & 18, Mr. Murray recorded the pulse rates for each of the students in his classes after the students had climbed a set of stairs. He displayed the results, by class, using the box plots shown.

17. Which class had the highest upper (third) quartile?
 A. Class 1 B. Class 3 C. Class 2 D. Class 4

18. Which class had the lowest IQR?
 A. Class 1 B. Class 2 C. Class 3 D. Class 4

19. Consider the following histogram that shows the scores from a math test. How many students did not pass the test (their grade was below a 70)?

A. 0 B. 1 C. 2 D. 3

20. The Sharks have played 5 basketball games this season. Their scores are 60, 63, 65, 65, 67. If they only score points in their next game, what will happen to their median score?

A. It will not change. B. It will decrease by 1.
C. It will increase by 1. D. It will decrease by 2.

21. A reading teacher recorded the number of pages read in an hour by each of her students. The numbers are shown below.

39, 43, 44, 44, 45, 49, 49, 50, 51

For this data, which summary statistic is NOT correct?

A. The minimum is 39.
B. The lower quartile is 44.
C. The median is 45.
D. The maximum is 51.

For 22-26, use the accompanying box-and-whisker plot represents the scores earned in a math test to answer the questions.

22. What is the median score?
A. 75 B. 70 C. 85 D. 77

23. What score represents the first quartile?
A. 55 B. 70 C. 100 D. 75

24. What statement is NOT true about the box and whisker plot shown?
A. 75 represents the mean score. C. 85 represents the 3rd quartile.
B. 100 represents the maximum score. D. 55 represents the minimum score.

25. A score of an 85 on the box-and-whisker plot shown refers to:
A. the third quartile B. the median C. the maximum score D. the mean

26. What percentage of data falls between the Minimum and the Median?
A. 25% B. 50% C. 75% D. 100%

27. Which of the following data sets has a median of 7.5?
A. {6, 7, 8, 9, 10} B. {1, 3, 7, 10, 14} C. {3.5, 7, 8, 10, 14} D. {2, 7, 9, 11, 14, 17}

28. The accompanying box-and-whisker plots can be used to compare the annual incomes of three professions. Based on the box-and-whisker plots, which statement is true?

A. The median income for nuclear engineers is greater than the income of all musicians.
B. The median income for police officers and musicians is the same.
C. All nuclear engineers earn more than all police officers.
D. A musician will eventually earn more than a police officer.

29. What is the median of the data set used to create the box plot below?

A. 5.5 B. 6.5 C. 7 D. 8.5

30. Which of the following data sets, given in ascending order, has the greatest range?
A. {3, 4, 7, 10, 18} B. {2, 5, 8, 11, 26} C. {65, 66, 70, 72} D. {5, 2, 4, 7, 10}

31. A science class measured the heights of 15 students in centimeters. The table shows the data. Which dot plot represents the data?

140	142	143	143	142
144	143	143	143	142
141	144	143	143	142

32. A local marketing company did a survey of 50 households to determine how many devices the household contained that family members watched video on (i.e. TV's, tablets, phones, etc.). The dot plot of the responses is shown below.

How many households have three devices capable of showing video on them?
A. 1 B. 7 C. 2 D. 5

33. What is the interquartile range of the data set represented in the box plot shown below?

A. 2 B. 6 C. 12 D. 24

April 19 2019, Friday

Item 9

Exponential Formulas
Exponential Equation
 $y = ab^x$

Extended Constructed-Response

Any owns a graphic design store. She purchases a new printer to use in her store. The printer depreciates by a fixed rate per year. The function $V = 2,400(0.86)^t$ can be used to model the value of the printer in dollars after t years.

Part A Explain what the parameter 2,400 represents in the equation of the function. Write your answer in the space provided. *initial value of the printer*

Part B At what rate does the value of the printer increase or decrease each year? Explain your answer. Write your answer in the space provided. *1 - 0.86 = 0.14 or 14% decrease*

Part C What is the value of the printer after 5 years rounded to the nearest dollar? Write your answer in the space provided.

Item 9 Exemplar Response

Points Awarded	Sample Response
4	Part A: The parameter 2,400 represents the initial value of the printer in dollars. Or other valid explanation. AND Part B: 14% decrease each year. AND The base of the exponent is 0.86 which comes from subtracting the rate from 1. The rate is -0.14 or decreasing by 14%. AND Part C: \$1,129
3	The student correctly answers three of the four parts.
2	The student correctly answers two of the four parts.
1	The student correctly answers one of the four parts.
0	Response is irrelevant, inappropriate, or not provided.

Note: If a student makes an error in one part that is carried through to subsequent parts, then the student is not penalized again for the same error.

Algebra 1 ~ Unit 6 Day 3

2 Way Frequency Table Notes

	Athletics	Music/Arts	SGA	Other	Total
Male					Male total
Female					Female total
Total	Athletics total	Music/Arts total	SGA total	Other total	Table total

	Joint Frequency	Marginal Frequency	Conditional Frequency

Example 1:

	Athletics	Music/Arts	SGA	Other	Total
Male	10	5	1	2	
Female	5	6	0	1	
Total					

What is the joint probability of a male that is involved in SGA?
What is the marginal probability of choosing someone who is involved with athletics?
What is the probability that a randomly chosen male is involved in athletics?
What is the probability that a student who is involve in music/arts is a female?

Algebra 1 ~ Unit 6 Day 3

2 Way Frequency Table HW

1. Using the table below, construct a table displaying the joint and marginal probabilities.

	Dance	Sports	Movies	TOTAL
Women	16	6	8	30
Men	2	10	8	20
TOTAL	18	16	16	50

2. Based on the above tables, which is more likely to occur: a woman who enjoys sports or a male who enjoys movies?

3. Given that a person likes dancing, what is the probability that the person is a male?

4. If we only look at the men, what is the probability that they enjoy sports?

The following table comes from a survey of 100 hikers on the areas of hiking preferred. Complete the table.

Gender	Hiking Area Preference			Total
	The Coastline	Near Lakes & Streams	On Mountain Peaks	
Female	18	16		45
Male			14	55
Total		41		

5. What percent of people surveyed prefer to hike on mountain peaks?
6. What percent of females surveyed prefer to hike the coastline?
7. What is the probability that a male prefers to hike near lakes and streams?
8. What is the marginal probability of people who prefer to hike the coastline?
9. What percent of people who prefer to hike the coastline are female?